



**CHANAKYA  
GROUP**

*"Light Up Your World"*



- LED STREET LIGHT
- LED HIGH BAY LIGHTS
- LED FLOOD LIGHT
- OUTDOOR LIGHT



## 24 W LENSE MODEL STREET LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 40mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 36 W LENSE MODEL STREET LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 43mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand



## 50W LENSE MODEL STREET LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 45mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 72 W LENSE MODEL STREET LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 45mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 100 W LENSE MODEL STREET LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 52mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand



## 24/36/50W AURA LENSE MODEL STREET LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 100mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 24W GLASS MODEL STREET LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 42mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 36W GLASS MODEL STREET LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 42mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand



## 50/72W GLASS MODEL STREET LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 45mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 100/150/200W GLASS MODEL STREET LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Pipe I.D.	: 54mm
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand

## 50W RGB FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: RGB
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand



## 100W RGB FLOOD LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: RGB
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand

## 30W FLOOD LIGHT



<b>Working Volt Range</b>	: 85-300 Vac @ 50HZ
<b>Power Factor</b>	: $\geq 0.97$
<b>CRI</b>	: $\geq 75$
<b>CCT</b>	: 3000-6500K
<b>Beam Angle</b>	: 130
<b>Surge Protection</b>	: 4Kv-6Kv
<b>THD</b>	: $\geq 10$
<b>External Spd</b>	: 10Kv (On Demand)
<b>Sensor</b> (Day Light, Dusk to Down)	: On Demand Available
<b>Driver</b>	: IP 66, Isolated
<b>Driver Protection</b>	: IVP, OVP, OTP
<b>Material</b>	: Aluminium
<b>LED</b>	: OSRAM, BRIDGELUX, BMTc
<b>Warranty</b>	: 2 Years on Demand

## 50W FLOOD LIGHT

<b>Working Volt Range</b>	: 85-300 Vac @ 50HZ
<b>Power Factor</b>	: $\geq 0.97$
<b>CRI</b>	: $\geq 75$
<b>CCT</b>	: 3000-6500K
<b>Beam Angle</b>	: 130
<b>Surge Protection</b>	: 4Kv-6Kv
<b>THD</b>	: $\geq 10$
<b>External Spd</b>	: 10Kv (On Demand)
<b>Sensor</b> (Day Light, Dusk to Down)	: On Demand Available
<b>Driver</b>	: IP 66, Isolated
<b>Driver Protection</b>	: IVP, OVP, OTP
<b>Material</b>	: Aluminium
<b>LED</b>	: OSRAM, BRIDGELUX, BMTc
<b>Warranty</b>	: 2 Years on Demand



## 100W FLOOD LIGHT



<b>Working Volt Range</b>	: 85-300 Vac @ 50HZ
<b>Power Factor</b>	: $\geq 0.97$
<b>CRI</b>	: $\geq 75$
<b>CCT</b>	: 3000-6500K
<b>Beam Angle</b>	: 130
<b>Surge Protection</b>	: 4Kv-6Kv
<b>THD</b>	: $\geq 10$
<b>External Spd</b>	: 10Kv (On Demand)
<b>Sensor</b> (Day Light, Dusk to Down)	: On Demand Available
<b>Driver</b>	: IP 66, Isolated
<b>Driver Protection</b>	: IVP, OVP, OTP
<b>Material</b>	: Aluminium
<b>LED</b>	: OSRAM, BRIDGELUX, BMTc
<b>Warranty</b>	: 2 Years on Demand

## 150W FLOOD LIGHT




Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand

## 200W FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand



## 150/200/300W FLOOD LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand


## 50W FLOOD LIGHT




Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 100W FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand



## 150/200W FLOOD LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand





**CHANAKYA  
GROUP**  
"Light Up Your World"

# FLOOD LIGHT

## 50W FLOOD LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 100W FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand



## 150W FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand





**CHANAKYA  
GROUP**  
"Light Up Your World"

# FLOOD LIGHT

## 200W FLOOD LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 300W FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand



## 400W FLOOD LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 50W LENS FLOOD LIGHT



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand

## 100W LENS FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand



## 150/200W FLOOD LIGHT

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor (Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTc
Warranty	: 2 Years on Demand





**CHANAKYA  
GROUP**  
"Light Up Your World"

# HIGHBAY LIGHT

## 50/100W Highbay Light



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand

## 150W Highbay Light

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand



## 200W Highbay Light



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand

## 100W Highbay LANS Light



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand

## 150/200W Highbay Light

Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand



## 200/300W Back Choke Flood Light



Working Volt Range	: 85-300 Vac @ 50HZ
Power Factor	: $\geq 0.97$
CRI	: $\geq 75$
CCT	: 3000-6500K
Beam Angle	: 130
Surge Protection	: 4Kv-6Kv
THD	: $\geq 10$
External Spd	: 10Kv (On Demand)
Sensor(Day Light, Dusk to Down)	: On Demand Available
Driver	: IP 66, Isolated
Driver Protection	: IVP, OVP, OTP
Material	: Aluminium
LED	: OSRAM, BRIDGELUX, BMTC
Warranty	: 2 Years on Demand



We, at LED Lights Company, take pride in lighting up the world with creativity, innovation, and passion. Whether you are looking for a bright and vibrant solution or a subtle one, we have the perfect lighting solution for you with our products that are designed to be durable and energy-efficient as well as provide the most aesthetically pleasing lighting solutions available. The options we offer range from simple plug-in-play lighting fixtures to highly sophisticated smart lighting systems. We are committed to providing you with a custom solution that will brighten up your life for years to come. Whether it's a small project or a large one, we are here to help you design a lighting solution that meets the needs of your project. Thank you for choosing us to light up your world!



Attibele Industrial Area, Bangalore-07

[sales@chanakyagroup.org](mailto:sales@chanakyagroup.org)

[www.chanakyagroup.org](http://www.chanakyagroup.org)

